

Rental Division Full Line Product Catalog



Autoscrubbers®

Sweepers

Floor Machines

Burnishers

Vacuums

Extractors

Air Mover/Ventilation

Tank Vacuums

Flood Restoration

Specialty Equipment

Pressure-Pro® Pressure Washers



Trusted. Reliable. Efficient.

Clarke®

ABOUT CLARKE PRODUCTS

Since 1916, Clarke® quality products have helped you achieve your daily cleaning goals quickly, efficiently, and safely. Clarke has been leading the way in the innovative cleaning equipment industry with such developments as the first walk-behind scrubber in 1956, the first extractor in 1968, and the latest BOOST® Technology in 2005. Today, Clarke products are manufactured by Nilfisk, Inc., but the philosophy is still the same: providing quality, durable and high-performing products from innovative engineering.

SERVICE CENTERS & SUPPORT

Located throughout the United States and Canada, there are over 400 service centers to assist you with upkeep and maintenance on your Clarke equipment. Your sales representative or customer service can help you locate the nearest center. Our Technical Service representatives can be reached at **1.800.253.0367 option 3**

CUSTOMER SERVICE PERSONNEL

When you have a question or want to place an order, we want to make sure that you get the answers you need quickly. Even if we are not the right department, we will put you in contact with the person who can help. Our staff is fully trained to meet your needs. Customer Service representatives can be reached at **1.800.253.0367 option 1**

QUALITY CONTROL AND WARRANTY REGISTRATION

If you have a quality complaint or concern, we need to know about it so we can address it immediately. Please contact Technical Service at **techservice@clarkeus.com**.

WEBSITE

The new and improved Clarke web site offers several features, including enhanced product page displays, downloadable product brochures and operator's manuals, videos, and surplus equipment for sale. Dealers can experience enhanced features with their login, such as price lookups, order tracking, demo reporting, online ordering, promotion bulletins, and more.

Log on to: **www.clarkeus.com** to find out the latest information about Clarke equipment.

INDEX

BOOST® Technology / Autoscrubbers® . .	2-6
Sweepers	6
Floor Machines	7
Burnishers	8
Hip Vacuums and Canister Vacuums . .	9-10
Upright Vacuums	10
Large Area Vacuums	11

Extractors	11-12
Air Mover/Ventilation	13
Tank Vacuums	13-14
Diamabrush™	14
Flood Restoration and Specialty Equip . .	15
Batteries & Accessories	16
Green Clean	16

BOOST®


Look for the BOOST logo on machines that feature BOOST Technology.

Using BOOST Technology, cleaning solution is introduced in front of the rectangular scrubbing pad in controlled timed pulses. The orbital pad contains the cleaning solution and carries it for the full length of the pad. Compared to traditional disc scrubbers that output water continuously and sling water away from the pad, BOOST's efficient use of the cleaning solution results in water and chemical savings of 50% to 70%.



Using less solution during cleaning keeps the operator working productively rather than in the janitor's closet emptying and refilling the scrubber tanks.

Cleaner floors allow for more effective burnishing. Dirt left behind by traditional disc scrubbers is often burnished into the finish, resulting in a yellowing of the finish. With more effective cleaning AND burnishing, the time between labor-intensive strip-and-recoats can be extended, which means less money spent on floor stripper, finish, and labor. And, BOOST pads clean right into corners and along walls, reducing labor time in additional cleaning.

BOOST® Technology



One Way Directional Scrubbing of Conventional Disc Machines



Multi-Directional Scrubbing by BOOST Orbital Pad Scrubber

WHAT MAKES BOOST® TECHNOLOGY GREEN?

- Uses 50-70% less water & chemicals than conventional scrubbers
- Strips floors chemical-free, using only water
- Reduces floor pad consumption/costs by 40%
- Lower pad pressure increases battery run times by 25%
- Multi-purpose machine - cleans, strips, and wet screens gym floors
- Cleans multiple surfaces and into corners, reducing the need for additional equipment or additional cleaning processes
- AGM batteries on all autoscrubbers (optional)

OPTIONS AVAILABLE ON AUTOSCRUBBERS WITH BOOST

- Clarke Battery Maintenance System (CBMS)
- Full line of BOOST Pads
- Replacement Squeegee Blade Kits
- Chemical Mixing System Kit
- Off-aisle Wand Kit (Focus II Mid Size 32, Focus II Rider)
- Hour Meter Kit



Autoscrubbers®



MA10™ 12E

The Clarke MA10's convenient, easy-to-use features make it perfect for cleaning small, high-traffic spaces quickly and effectively. The single-pass scrub and dry performance provides quick access to cleaned areas, and the comfortable, two-hand grip combined with its light weight make maneuverability and transport easy for any operator.

KEY FEATURES:

- Compact – Ideal design for scrubbing small spaces quickly
- Sanitary – Creates a cleaner environment compared to mopping
- Versatile – Cleans hard surfaces quickly and effectively
- Simple and intuitive controls
- Ergonomic handle for easy operations
- 4 inch cleaning clearance

SPECIFICATIONS:

- 12.2 inch scrub path
- Cylindrical scrub brush operates at 2,100 rpm
- Forward and reverse solution recovery
- Solution tank dispenses only clean solution
- 0.8 gallon solution tank / 1 gallon recovery tank
- Optional carpet kit

MA30™ 13B

The battery powered Clarke MA30™ 13B micro scrubber delivers the cleaning performance you require in the compact size you need. Dirt and even small debris are easily removed from the floor with its single pass sweeping, scrubbing and drying capabilities, efficiently leaving your floors clean and dry.

KEY FEATURES:

- Pivoting wheels on the back ensure high maneuverability even in narrow spaces
- Two solution flow settings and low solution and battery level indicator lights ensure efficient cleaning
- Easy to maintain with tools-free brush and squeegee removal

SPECIFICATIONS:

- 13.5 inch scrub path
- 1.6 gallon solution tank and recovery tank
- Front squeegee can be raised to pick up small debris while scrubbing
- Tank-in-tank design for easy handling when emptying and refilling
- Dosing cap makes adding the right amount of detergent easier





Vantage 14

Combining innovation, reliability and performance, the Clarke Vantage 14 marks a breakthrough in daily scrubbing for small area cleaning. The Vantage 14's integrated rotating deck enables complete scrubbing in both forward and backward directions, allowing operators to easily clean under and around obstacles.

KEY FEATURES:

- Patented, rotating deck
- Full battery-powered operation and onboard battery charger
- Compact, maneuverable design
- Quiet operation, at only 64 dB A
- Brush-assisted operation

SPECIFICATIONS:

- Single 14 inch disc scrub brush
- 3 gallon (11 L) solution / recovery tank
- Sound level: 64 dB A
- Scrub width: 14.5 in (37 cm)

MA50™ 15B

Experience convenient, intuitive scrubbing with the pad-assisted Clarke MA50™ 15B Walk-Behind Scrubber—complete with a 15 inch cleaning path, an onboard battery lasting up to 2 hours and 3.5 gallon solution and recovery tanks. These convenient features equate to cleaning productivity of up to 8,000 square feet per hour. In addition, the MA50™ 15B's curved squeegee helps pick up more solution and a low-profile, pull-down handle comes in handy for tight cleaning jobs and storage.

KEY FEATURES:

- Easy-to-use fingertip controls
- Low profile design for cleaning tight, hard-to-reach areas
- Onboard battery charger and auxiliary charging cable
- Rounded squeegee for easy and complete solution pick-up
- Fold-down handle for storage

SPECIFICATIONS:

- 15 inch scrub path (38 cm)
- 3.5 gallon (13.5 L) solution / recovery tank
- Sound level: 70 dB A
- Scrub width: 15 inches (38 cm)



CA30™ 17E

With the Clarke CA30™ 17E, you can experience the agility of a 17 inch wide cleaning path and the added convenience of a 65 foot safety yellow power cord to improve your cleaning productivity. Engineered for heavy daily use in a variety of commercial applications, the CA30 17E features a heavy-duty cast aluminum assembly housing a rounded squeegee that delivers quick, complete solution pick-up day in and day out.

KEY FEATURES:

- Easy-to-use fingertip controls
- Low profile design for cleaning tight, hard-to-reach areas
- Rounded squeegee for easy and complete solution pick-up
- Long, 65 foot yellow safety cord for non-stop cleaning

SPECIFICATIONS:

- 120 V cord electric with 65 foot (20 m) cord
- Scrub width: 17 inches (43 cm)
- 13.2 gallon (50 L) solution tank / 13.2 gallon (50 L) recovery tank
- Sound level: 72 dB A



CA30™ 20B

The Clarke CA30™ 20B combines a 20 inch wide cleaning path with a long-lasting onboard battery and charger. That means you can clean faster without having to worry about the nearest wall outlet or looking for the charger when the job is done. In addition, the CA30 20B features a heavy-duty cast aluminum assembly housing a rounded squeegee that delivers quick, complete solution pick-up day in and day out.

KEY FEATURES:

- Wide 20 inch cleaning path
- Long-lasting batteries and onboard charger
- Easy-to-use fingertip controls
- Low profile design for cleaning tight, hard-to-reach areas
- Rounded squeegee for easy and complete solution pick-up

SPECIFICATIONS:

- (2) 12 V batteries, 105 Ah AGM with onboard charger
- Scrub width: 20 inches (51 cm)
- 10.5 gallon (40 L) solution tank / 10.5 gallon (40 L) recovery tank
- Sound level: 70 dB A



Focus® II Compacts *BOOST*

No other manufacturer comes close to matching Clarke's combination of serious cleaning ability and green benefits in autoscrubbers. All of the Focus II compacts feature important benefits such as low noise levels, improved user ergonomics, onboard chargers, breakaway squeegees, and more.

KEY FEATURES:

- Available with BOOST Technology or Disc scrub decks
- Superior solution pickup
- Easy operation and low sound levels
- Efficient use of solution

SPECIFICATIONS:

- 12 V battery choices, wet or AGM
- 14.5 gallon solution and recovery tank (55 L)
- Sound Levels: 65.8 dB A
- Scrub width: Disc, 21 in (54 cm); BOOST, 20 in (52 cm)



Focus® II Mid Size *BOOST*

Available in disc, cylindrical and BOOST, the Focus II Mid-size models have many advanced features such as larger tanks, wet or AGM battery choices, optional chemical mixing systems, onboard chargers, one-touch scrubbing, and easy-to-adjust squeegees.

KEY FEATURES:

- Large tank capacity, longer run times
- Superior solution conservation and pickup
- Onboard battery charger
- Optional, onboard chemical mixing system

SPECIFICATIONS:

- Scrub width: 26 in, 28 in, and 34 in disc; 28 in cylindrical; 28 in and 32 in BOOST. (66, 71, and 86 cm disc, 71 cm cylindrical, 71 and 81 cm BOOST)
- 23 gallon solution and recovery tank (87 L)

Advance SC900™

Professional cleaning can be challenging. That is why Advance developed the SC900™, a simple machine allowing contract cleaners to focus on core tasks in a productive manner. The SC900 removes common complexity routinely associated with floor cleaning equipment. The absence of sophisticated electronics and excessive features increases ease of use and uptime while lowering your overall cost to clean.

KEY FEATURES:

- Simplified industrial contractor grade tough walk-behind scrubber
- 36 Volt power with 30 gallon (114 L) solution and recovery tanks
- No control board or deck actuator for maximum uptime and reliability
- Simplified user interface for quick and easy training
- Debris catch cage and squeegee hanger standard
- Disc machine has up to 200 lbs (91 kg) of scrub pressure with 0.75 hp motors

SPECIFICATIONS:

- Available in 28 and 34 inch disc or 32 inch cylindrical scrub paths
- 30 gallon solution tank
- 32 gallon recovery tank
- Mechanical scrub and vacuum levers
- Thumb controlled cruise control



SA40™ Stand-On

The SA40 stand-on scrubber is designed to deliver reliable cleaning performance. It provides a flexible, extremely maneuverable and compact solution for small to medium-sized areas. The SA40 has a large 12 gallon solution tank and low flow rate, which can provide up to 75 minutes of scrub time without refilling, so you will spend more time cleaning.

KEY FEATURES:

- High productivity
- Excellent maneuverability
- Flexible cleaning to address varying soil levels
- Designed to provide maximum clean and safety
- Extremely quiet for daytime cleaning

SPECIFICATIONS:

- Scrub width 20 in (51 cm)
- 12 gallon (45 L) solution and 12.5 gallon (47 L) recovery tanks
- Two scrub pressures up to 88 lb (40 kg)
- 24 V battery choices, wet or AGM
- Wrap-around squeegee ensures 100% water pick-up and dry floors

RA40™ Micro Rider

This compact, highly maneuverable 20 inch autoscrubber is designed to elevate the cleanliness, health and safety of your facility to the next level. Every cutting-edge feature-from the ultra-sharp turning radius to the onboard chemical mixing system-has been engineered to the high performance and reliability standards you have come to expect from Clarke over the past 100 years!

KEY FEATURES:

- SmartFlow™ solution control system
- Excellent maneuverability
- Flexible cleaning to address varying soil levels
- Designed to provide maximum clean and safety
- Multifunction display with One-Touch control panel

SPECIFICATIONS:

- 24 V battery choices, wet or AGM
- 18.5 gallon solution and recovery tanks (70 L)
- Sound levels: normal mode 68 dB A \pm 3 / silent mode 62 dB A \pm 3
- Scrub width: 20 in (51 cm)



Focus® II MicroRider™ *BOOST®*

The Clarke Focus® II MicroRider™ is everything you need in a compact rider, available in a unique 26 inch disc deck or 28 inch BOOST® scrub deck for all of your scrubbing needs!

KEY FEATURES:

- BOOST® Technology with chemical-free floor finish removal
- SafetyGlide™ scrub deck
- Easy operation with Safe-T-Steering™
- Optional chemical mixing system
- Comfortable driver compartment

SPECIFICATIONS:

- 24 V battery choices, wet or AGM
- 21 gallon solution and recovery tanks (80 L)
- Sound Levels: High Setting 65 dB A / Low Setting 61 dB A
- Scrub width: 26 in (66 cm), 28 in (71 cm)

Focus® II Riders *BOOST®*

The Clarke Focus® II Rider delivers cost-effective, sustainable performance while maintaining the highest expectations for your clean floors! A flexible and easy to use solution for both daily maintenance and difficult restoration work will change the way you maintain your facility. Available with your choice of scrub decks - disc or BOOST®.

KEY FEATURES:

- Available with BOOST® Technology
- Tight turning radius
- Increased down pressure
- Quiet operation
- Optional Chemical Mixing System
- Flexible cleaning capabilities

SPECIFICATIONS:

- 24 V battery choices, wet or AGM
- 31 gallon solution and recovery tanks (117 L)
- 28 inch BOOST® or 28 and 34 inch disc scrub paths (71 cm or 86 cm)
- Large recovery tank opening with debris catch cage and integrated squeegee hanger
- High traction urethane tires
- One-touch scrubbing with three pressure settings



Sweepers

BSW 28

Whether you are sweeping carpet or hard floor, the BSW 28 Sweeper from Clarke has the performance for both. This great sweeper is designed to be both rugged and versatile.

KEY FEATURES:

- Side broom for active sweeping into large hopper
- Sweeps up small debris, dirt and dust
- Indoor (carpet & hard floors) or outdoor use
- Quick and easy change out of filter and brooms - no tools

SPECIFICATIONS:

- 28 in (71 cm) sweeping path (with side broom)
- Gel battery power source with onboard charger
- 2.5 to 3 hour battery run time on carpet
- Electrical motor runs side broom - no belts





FM40™ ST & LX

Built on the legacy of its predecessor the BOS-18, the Clarke FM40 represents a significant step forward for Clarke orbital scrubbing floor machines. Available in a standard ST version and a feature-rich deluxe LX edition, the FM40 is engineered to deliver the ultimate combination of ease of use and versatility for unmatched performance in both wet and dry applications.

KEY FEATURES:

- 1.5 hp heavy duty motor driving a 3,540 rpm orbital deck
- 20 x 14 inch cleaning path
- Includes weight kit consisting of three 21 lb weights
- Quiet, low vibration design at 68 dB A
- Switchable wheels-up/wheels-down modes (LX model)
- Baseboard cleaner standard (LX model)
- Detachable handle standard (LX model)

SPECIFICATIONS:

- 3,540 rpm
- 1.5 hp motor and 160 lb of down pressure
- Chemical-free floor stripping
- 50 ft, 14/3 safety yellow power cord (15 m)
- Dust containment kit, solution tank kit, various scrub pads and sand screens available

CFP Pro® 20DS

Built with a rugged metal construction and a high-powered 1.5 horsepower motor, the CFP Pro® 20DS delivers Dual Speed rotating action for heavy-duty performance in a wide range of applications. The fingertip controls, safety lock-out switch and accessible cord wrap for the 50 foot safety yellow power cord maximize safety, simplify use and expedite storage of this powerful machine.

KEY FEATURES:

- Switchable 185/330 rpm dual speed
- All-metal construction
- 1.5 hp DC rectified motor with all-steel triple planetary gear box
- Pad driver included with universal clutch plate
- Easy-to-use, fingertip controls
- Safety lock-out switch

SPECIFICATIONS:

- 20 inch scrubbing and cleaning path (50.8 cm)
- 5 inch (12.7 cm) non-marking transport wheels
- Powerful 1.5 hp motor
- 50 foot safety yellow power cord (15.2 m)



CFP Pro® 17HD & 20HD Floor Machines

The CFP Pro® 17HD and 20HD floor machines are rugged, high powered machines built for years of use in a wide range of applications. With easy-to-use fingertip controls and multiple safety features, such as handle-mounted safety switch, and a 50 foot yellow cord, these all metal construction machines are designed for heavy duty use.

KEY FEATURES:

- All metal construction
- 1.5 hp motor with all-steel triple planetary gear box
- Pad driver included with universal clutch plate
- Easy-to-use, fingertip controls
- Safety lock-out switch

SPECIFICATIONS:

- Available in 17 in and 20 in sizes (43, and 58 cm)
- 5 in (13 cm) non-marking transport wheels
- Powerful 1.5 hp motor
- 50 ft safety yellow power cord (15 m)

Pacesetter™ 17HD, 20HD & 20SD Floor Machines

Whether stripping, scrubbing, screening, or bonnet cleaning, Pacesetter™ floor machines are built to fit your needs and applications. The heavy-duty construction and durability of the Pacesetter sets it above the competition.

KEY FEATURES:

- Ergonomic molded handles for safety and comfort
- 1.5 hp, 66 frame motor (17HD and 20HD)
- 1.75 hp, 66 frame motor (20SD)
- Heavy gauge metal construction throughout the base
- Pad driver included

SPECIFICATIONS:

- 17 in and 20 in sizes (43, and 58 cm)
- Large, non-marking wheels
- 175 rpm
- 50 ft safety yellow power cord (15 m)





Ultra Speed® Series

The Ultra Speed burnisher series is ideal for hospitals, schools and areas requiring dust-free, quiet and fume-free operation, while producing a brilliant high-gloss shine.

KEY FEATURES:

- Indestructible Polydur® mainframe
- Self adjusting pad pressure
- Lightweight and easy to maneuver
- Very quiet for noise sensitive areas - only 66 - 67 dB A

SPECIFICATIONS:

- 20 in burnishing path (51 cm)
- 1500 RPM on the US 1500DC model;
2000 RPM on the US 2000DC model
- 3 handle positions - floating handle latches over for compact storage

Ultra Speed Pro® 1500

The Ultra Speed Pro® 1500 features a powerful DC rectified motor that drives a consistent 1,500 rpm's to maintain a wet-look shine on finished floors. With easy-to-use fingertip controls and multiple safety features, such as handle-mounted safety switch and circuit breaker, and a 50 foot yellow cord, this machine gets the job done fast.

KEY FEATURES:

- Easy-to-use, fingertip controls
- Safety lock-out switch
- Handle-mounted circuit breaker
- All-metal construction

SPECIFICATIONS:

- 20 inch path
- 1,500 rpm produces wet-look shine
- Safety lock-out switch
- Quiet operation - only 68 dB A



Ultra Speed® 20 & 20T

When the job calls for restoring your floor's gloss, the Clarke Ultra Speed® 20 battery burnisher outshines even its updated look. It features self-regulating pad pressure and class leading passive dust control, while being easy to operate and maintain.

KEY FEATURES:

- Self regulating pad pressure
- Non-traction or power traction drive
- Class leading passive dust control
- Easy tip back feature for convenient pad changes
- Standard onboard battery charger

SPECIFICATIONS:

- 20 in burnishing path (51 cm)
- 20T model has traction drive
- Wet cell or AGM batteries
- Polishing rate: 24,000 sq/ft per hour (7,315 m/hour)
- Quiet operation - only 68 dB A

PBU Propane

Clarke® propane-powered burnishers are available in 21 inch and 27 inch path sizes, so you can choose the best match for your productivity needs. The Dust Control Series offers superb dust control which is often critical for retail stores, office buildings, educational institutions, supermarkets and sports facilities.

KEY FEATURES:

- 21 inch and 27 inch size configuration
- Clean and efficient catalytic converter
- Optional Dust Control models with electric clutch and CARB Gard™ monitor emissions
- Durable, rugged cast aluminum alloy housing

SPECIFICATIONS:

- Electric solenoid shut-off shuts off fuel when engine stops running
- Powerful 603cc Kawasaki V-Twin engines
- Balanced pad drivers reduce vibration and are flexible to follow the contour of uneven surfaces over floors



Hip Vacuum & Canister Vacuums

www.clarkeus.com

Hip Vac™

Confined and cluttered areas are easy to clean with the Hip Vac. The powerful motor and ultra lightweight design increase productivity by up to 74 percent compared to traditional vacuums.

KEY FEATURES:

- Above the floor cleaning
- Clean tight spaces around obstacles
- One size fits all padded velcro waist strap
- Five tools for every surface

SPECIFICATIONS:

- 50 ft safety yellow cord
- 4 ft hose, 2-piece wand, tool kit
- 3-level filtration system
- H.E.P.A. filter optional



Comfort Pak

The Comfort Pak backpack vacuum features an ergonomic frame for support and stability. It's lightweight, easy to maneuver and has an easy mess-free bag change.

KEY FEATURES:

- Very comfortable and lightweight with lots of capacity
- Unique harness design dramatically reduces operator strain
- Exhaust is directed up and away - keeping operator cool
- Ultra quiet 62 dB A

SPECIFICATIONS:

- Available in a 6 or 10 quart model (5.7 or 9.5 L)
- Standard 5 piece tool kit
- 50 ft safety yellow power cord (15 m)
- 4-stage filtration; H.E.P.A. is optional

Saltix™ 10

The Clarke Saltix™ 10 is a basic, well-built, thoroughly reliable machine that can be counted on to do the job day in day out. It provides superior performance on multiple surfaces with a lightweight, sustainable design.

KEY FEATURES:

- 900 Watt motor
- 50 dB A sound level
- Filter basket standard for bagless operation
- 33 foot cord, rotating dust brush and crevice tool stored onboard
- Telescopic aluminum wand optional

SPECIFICATIONS:

- 33 ft (10 m) safety yellow cord
- 12 inch multi purpose – multi-surface floor tool
- Secure accessory and power cord storage and rear mounted wand and floor tool storage
- 4-level filtration system including H.E.P.A.



VP600™

The VP600 features an easy-access magnetic closing lid and a large, step-on power button that's easily accessible. It comes with a telescoping wand that picks up accessory heads without having to bend over.

KEY FEATURES:

- Extra efficient 800 Watt motor
- Ultra quiet 47 dB A sound pressure (Power Boost 54 dB A sound pressure)
- Three levels of filtration standard, H.E.P.A. filter standard
- Power Boost for increased performance

SPECIFICATIONS:

- 2.6 gal (10 L) container
- 33 foot cord, dust brush and crevice tool stored onboard
- Easy-access magnetic closing lid
- Telescopic aluminum wand
- Passive floor tool for both hard and soft floors

Euroclean GD930

The Euroclean GD930 is our biggest, most powerful canister vacuum. It features a large 4 gallon dust bag, so your customers can vacuum longer without having to stop and change bags. The Euroclean GD930 canister vacuum delivers superior cleaning performance.

KEY FEATURES:

- 4 gallon (15 L) dust collection bag
- Injection molded cover
- Durable chrome plated steel tank
- Dual mode floor tool
- Foot operated on/off switch

SPECIFICATIONS:

- 1,000 Watt, 1.25 hp motor
- Waterlift 89 inches
- Air flow 67 CFM
- 66 dB A sound level
- Three levels of filtration standard
- Optional H.E.P.A. filtration
- Standard tools include a combination brush/nozzle, 6 foot suction hose, dual mode floor tool, two piece wand and crevice tool.





ReliaVac® Single Motor

The ReliaVac single motor upright vacuums are easy to maneuver, strong on power, and designed for fast, low cost serviceability. The ReliaVac gives you the power and pickup needed for all applications. All models feature large rear wheels for easy maneuverability and a clear fan cover for ease of visibility of any blockage. The brush height can adjust to six settings to work effectively on a variety of carpets.

KEY FEATURES:

- 4 models to choose from
- 7 amp motor
- 50 ft safety yellow cord
- Low cost maintenance
- Exclusive green fan with lifetime guarantee against breakage

SPECIFICATIONS:

- 12 or 16 in cleaning path
- Durable steel brush roller (12 and 12DC models) or high performance aluminum brush roller (12HP and 16HP models)
- Replaceable bristle strips and beater bars for versatile cleaning
- Removable clear fan cover allows for identifying and removing clogs
- Headlight illuminates work area (HP models only)
- ReliaVac® 12 DC model has an easy to empty dirt cup

CarpetMaster® 100 Series Single Motor

The CarpetMaster® 12 inch and 15 inch single-motor upright vacuums deliver affordable quality along with a high level of cleaning performance with its exceptional dirt pick-up and filtration. A full complement of tools and user-friendly design features makes the CarpetMaster easy to use and maintain.

KEY FEATURES:

- Standard H.E.P.A. filtration
- Easy accessible tools and quick-draw wand
- Convenient handle grip on front of vacuum
- Easy maintenance features
- Innovative quick cord clip for simple cord management

SPECIFICATIONS:

- Available in 11.5 in and 14.5 in cleaning path widths (29.2 and 36.8 cm)
- Powerful 9-amp, 2 stage motor
- 50 ft safety yellow power cord (15 m)
- Low sound level: 69 dB A



CarpetMaster® 200 Series Dual Motor

The CarpetMaster® 200 Series vacuums feature a powerful motor, onboard crevice and upholstery tools, quiet operation, H.E.P.A. filtration, bag indicator light, and a light handle weight! The motor is also conveniently located at the base of the machine, which results in a lighter handle weight.

KEY FEATURES:

- Standard H.E.P.A. filtration
- Easy accessible tools and quick-draw wand
- Convenient handle grip on front of vacuum
- Easy maintenance features
- Innovative quick cord clip for simple cord management

SPECIFICATIONS:

- Available in 12 in, 15 in, and 18 in cleaning path widths (30, 38, and 46 cm)
- Powerful 9-amp, 2 stage motor
- 50 ft safety yellow power cord (15 m)
- Low sound level: 69 dB A



Large Area Upright Vacuum



CarpetMaster® 30

The CarpetMaster 30's unique combination of productivity, clean-air filtration and off-floor cleaning capabilities makes it THE choice for your large area carpet cleaning needs. The 30 inch cleaning path and complete onboard tool kit make quick work of even the most daunting vacuuming tasks.

KEY FEATURES:

- 20 ft long reach off-aisle vacuum hose
- Maneuvers well with large 10 in rear wheels and front swivel casters
- 5 position carpet pile height adjustment
- Quickly vacuums large areas (10,000 sq. feet/hr)

SPECIFICATIONS:

- Dual motor, 1 hp motor
- Powerful 7 or 9-amp continuous duty motor
- 75 ft safety yellow power cord (23 m)
- Enclosed 1 bushel capacity hopper holds large amounts of debris

Carpet Extractors

BextSpot Pro® Carpet Spot Cleaning System

The BEXTSpot Pro® provides a compact, lightweight highly portable tool for quick carpet or upholstery spot clean-up. With a 1 gallon tank, there is plenty of solution capacity for the emergency small jobs that present themselves in schools, offices, food service areas or healthcare facilities. With a powerful pump and vacuum motor, this very convenient machine gets the job done fast, and can then be stored away out of sight.

KEY FEATURES:

- Compact and lightweight
- Built-in transport wheels
- 4.5 inch clear hand tool to view soil removal with 8 foot hose
- 1 gallon easy-fill solution tank
- Removable recovery tank for easy dumping and cleaning

SPECIFICATIONS:

- 4.5 inch cleaning path
- Optional 8 inch wand, or 15 foot solution and vacuum hoses
- 1 gallon recovery tank (3.8 L)
- Powerful 30 PSI pump aids in deep cleaning spots



EX20™ Portable Extractors

EX20™ portable extractors are the culmination of a major engineering and design initiative of Clarke that emanated from direct field input of cleaning technicians who used high performance portable extraction machines every day.

KEY FEATURES:

- Ergonomic design
- Unique transport handle design
- Handle on top of the tank
- Wand caddy for easy transport
- Oversized, rubber grip rear wheels
- Two front panel roller wheels assist in loading/unloading
- Extension cord wraps

SPECIFICATIONS:

- 12.5 gallon solution tank and 11 gallon recovery tank
- 15 foot vacuum and solution hoses
- 212° F heat at the wand tip (100SC & 100H)
- Cold water extractor (100C)
- Single 5.7 inch, 3-stage vacuum
- 12 inch stainless steel scrub wand standard
- AquaWand™ optional upgrade

EX30™ Heated Portable Extractor

The EX30™ is the result of years of extensive engineering and design experience coming together with customer feedback to create one of the most powerful and user-friendly portable carpet extractors ever made.

KEY FEATURES:

- Roller handles for easy loading
- Upright dolly design for easy stair climbing
- Wand caddy for easy transport
- Low solution filling area for easy filling
- Low noise day-time-quiet operation
- Low moisture design

SPECIFICATIONS:

- 50-500 psi
- 12 gallon solution tank and 10 gallon recovery tank
- 15 foot vacuum and solution hoses
- Instant 212° F heat at the wand tip
- Dual 5.7 inch, 3-stage vacuum
- AquaWand™ standard





Clean Track® 12

The small footprint and straight-forward controls make the Clean Track 12 easy to operate, maneuver, and transport. The 12 inch cleaning path allows extraction in tight spaces such as elevators. The laminar-flow shoe and controlled water usage assist with faster dry times so normal traffic can resume without extended interruption.

KEY FEATURES:

- Compact, yet professional grade
- Ergonomically designed control handle
- Laminar flow vacuum shoe recovers moisture effectively
- Easy to fill and clean

SPECIFICATIONS:

- 5 gallon solution & 4 gallon recovery tank (15 & 19 L)
- 1.2 hp, 2-stage vac motor
- 25 ft safety yellow power cord (7.6 m)
- Total weight: 68 lb (31 kg)

Viper SL1610SE

The Viper Slider self-contained carpet extractor combines ease of use and power, with great results. The unit features a 16 inch path, 10-gallon solution tank, 3-stage vacuum motor, and 100 psi pump. Fingertip operation, twist-lock spray jets, and a clamshell design make operation and service a snap. Combine all these features with a 12-year housing and 5-year motor warranty and it's an unbeatable value.

KEY FEATURES:

- Easy-to-use, fingertip controls
- Compact design for increased maneuverability
- Twist-lock spray jets
- Easy-to-service clamshell design

SPECIFICATIONS:

- 16 inch cleaning path
- 10 gallon solution tank
- 7 gallon recovery tank
- 100 psi pump, 3-stage vac motor



EX40™ 16ST & 18LX

Building on Clarke's 100 years of building durable, robust and effective cleaning equipment, the Clarke EX40™ 16ST and 18LX self-contained extractors provide you with a proven ability to clean carpets efficiently and rapidly.

KEY FEATURES:

- Easy One-Touch™ controls located on panel
- Ergonomic handle for improved control
- Full rotating handle adjustment (18LX)
- Brush and vacuum shoe removal without tools
- Front mounted drain hose
- Removable tank with stowable handle
- CRI Gold SOA Approved

SPECIFICATIONS:

- 16 or 18 inch cleaning path
- 9 gal solution tank (16ST)
- 12 gal solution tank (18LX)
- 1.5 hp, 3-stage vacuum motor, 120 inch waterlift
- Laminar flow vacuum shoe
- 50 foot detachable safety yellow power cord
- Optional integrated hand tool

Clean Track® L24

Clarke Clean Track® L24 battery walk-behind carpet extractor provides superior cleaning capabilities to ensure your carpets are clean and ready to use fast! Featuring *LIFT*™ (Low-moisture, Indirect spray, Fast dry time, True cleaning) technology, the Clean Track L24 utilizes a patented spray system to achieve dry times of 30 minutes or less.

KEY FEATURES:

- *LIFT*™ (Low-moisture, Indirect spray, Fast dry time, True cleaning) technology
- Deep-cleaning restoration mode
- Deep Treat™ single-pass, pre-spray feature
- Onboard detergent dispensing

SPECIFICATIONS:

- 24 inch cleaning path
- 20 gallon solution & 16 gallon recovery tank
- 93 cfm (44 L/sec)
- Waterlift 70 inches
- 69 dB A sound level



Air Mover



AM2400D™ Air Mover

The powerful yet compact AM2400D™ air mover provides the power and versatility to quickly dry floors and circulate air. A 3-speed induction motor with thermal protection delivers up to 2,400 CFM air flow while minimizing energy usage. Four position settings provide flexibility for directing air movement while the built-in power outlet allows for daisy-chaining up to three units for maximum efficiency.

KEY FEATURES:

- Three speed settings up to 2,400 CFM
- Four angle settings
- Onboard outlet for daisy-chaining up to 3 units
- Lightweight, compact and stackable
- Rugged rotomolded design
- Optional trolley kit with wheels and retractable handle for easy transport

SPECIFICATIONS:

- Air flow: 2,000 / 2,200 / 2,400 CFM
- 1,000 / 1,200 / 1,400 RPM
- 0.33 hp, 115 Volt motor
- Thermally protected motor
- 21 foot power cord (6.5 m)
- Weight: 22 lb (10 kg)

Tank Vacuums

Maxxi II™

The Maxxi II™ 35 wet/dry vacuum exceeds cleaning expectations with increased versatility, enhanced power and cost-efficient performance.

KEY FEATURES:

- Quality 3-stage filtration
- Powerful motor maximizes cleaning performance
- Accessories to help tackle diverse cleaning challenges

SPECIFICATIONS:

- 9 gallon tank size
- 50 foot power cord
- 1,100 Watt motor
- Air flow: 101 CFM



Summit Pro® 18SQ

The Summit Pro® 18SQ offers great performance and value in a wet/dry vacuum. The high capacity tank and integrated front-mounted squeegee assembly with rear foot pedal actuator allow high productivity water pick-up for big jobs. When you need tools that can pick up dust and get into tight places, there is a complete tool kit with 9 foot hose and rugged stainless wand.

KEY FEATURES:

- High productivity
- Integrated 24 inch front-mounted squeegee assembly with pedal actuator
- Includes 5 piece tool kit, 9 foot hose and stainless wand with onboard storage
- 10 inch wheels permit easy stair climbing

SPECIFICATIONS:

- 18 gallon tank capacity
- 24 inch cleaning path
- 2-stage vacuum motor
- Airflow at orifice: 95 CFM
- 1.17 hp motor
- 50 foot power cord



Attix 30

- Powerful vacuum motor generates 135 CFM and 92 inches of water lift
- Quiet motor technology generates low noise rating of 59 dB A
- 8-gallon tank capacity
- Ergonomic hand grip allows easy cable storage
- Hose, wand, floor tool and attachments included
- Push & Clean filter cleaning technology
- Washable PET-fleece filter cartridge for long life
- Tool storage area on cover
- Auto On/Off socket for auxiliary power tool connection (AS/E model only)
- Optional HEPA filter

Attix 50


- Powerful vacuum motor generates 135 CFM and 92 inches of water lift
- Quiet motor technology generates low noise rating of 59 dB A
- 12-gallon tank capacity
- Ergonomic hand grip allows easy cable storage
- Hose, wand, floor tool and attachments included
- Push & Clean filter cleaning technology
- Extreme Clean filter cleaning technology (AS/E XC only)
- Washable PET-fleece filter cartridge for long life
- Tool storage area on cover
- Auto On/Off socket for auxiliary power tool connection (AS/E models only)
- Optional HEPA filter



Attix 19

- Powerful vacuum motor generates 140 CFM and 105 inches of water lift
- Quiet motor technology generates low noise rating of 57 dB A
- 19-gallon tank capacity
- Sturdy dolly mount construction allows for easy transport
- Durable stainless steel canister
- Tilting canister feature makes it easy to dump contents
- Designed for high volume water evacuation (AE model only)
- Can pump water 300 feet horizontally and 23 feet vertically (AE model only)

The Diamabrush™ Concrete Prep Plus




The first step in the Diamabrush™ Concrete Polishing System involves abrading and leveling the surface to prepare it for polishing. The Diamabrush Concrete Prep Tool consists of a super tough 25 or 100 diamond grit that is bonded to steel blades overmolded in polymer. The flexible blades ensure the diamond abrasive tool remains in constant contact with the floor, regardless of imperfections including cracks or uneven floors. As you use the Concrete Prep Tool, multiple layers of diamonds on the blades are constantly exposed, maximizing tool life and effectiveness.

The patent pending Concrete Prep Tool can be refurbished by simply replacing the blades.

Diamabrush™ Coating Removal Tools

The Diamabrush™ Coating Removal Tool is the fastest, most effective tool for the removal of mastic, glues, adhesives, thin-set, and thin mil epoxies from concrete floors. Its patented design prevents the abrasive blades from loading up or clogging like other abrasive products, resulting in fast, consistent removal throughout the life of the blades.

- 10 times faster than manually scraping
- Limited surface contact during use
- Rigid, exposed diamond cutting surface creates a level floor with normal use
- No need for heavy, expensive and hard-to-use grinding equipment that often requires 480 3-phase power
- Designed to fit Pacesetter floor machines
- Features replaceable diamond blades



Flood King™ Portable Flood Water Extractor for Restoration

- Top mounted, dual three-stage vacuums increase airflow efficiency and vacuum performance - improved water recovery
- Ergonomic, upright, compact design for easy maneuverability and easy storage
- Rotationally molded body with a lifetime warranty for maximum durability
- Three-stage filtration system increases pump life
- Runs on a single 25 foot cord at only 13 amps
- Auto-dump, 10.5 gallons per minute



RPV30E1H Water Evacuation Unit

- 30 gallons per minute
- Captures and transfers up to 300 gallons of water per hour
- Industrial two stage vacuum motor
- Heavy duty stainless steel water pump to transfer waste water
- 115 V, 15 Amps
- Includes dolly wheel kit (pn AHS06)

King Cobra™ 1200 PRO Dual-Surface Cleaner

- 1200 psi for hard floor, 500 psi for carpet
- 16 gallon (60 L) solution tank
- Single 3-stage vac motor, 140 inch waterlift
- Circuit finder light
- Auto fill and auto dump
- 2000 watt heater for carpet
- Built-in hose reel
- Includes 25 foot solution/vacuum hose, Evolution wand and Hard Surface Turbo Tool



Oasis Plus™ Ozone Generator

- High-density ceramic and stainless steel electrodes corona system
- 2.65 grams/hr, 2,650 mg/hr
- 30 hour programmable timer with adjustable ozone output levels
- Power supply overload protection
- Rotationally molded body with lifetime warranty
- 8 foot 16/3 gauge cord standard



Industrial Machines

As a world leader in industrial cleaning machines, please ask us about our complete line of industrial Scrubbers, Sweepers, and Combo Sweeper-Scrubbers for your rental fleet



Part #	Batteries
56025782	12V, 130 AH Wet Battery
56206079	6V, 242 AH, Wet Battery
56391391	6V, 310 AH, Wet Battery
56388582	6V, 420 AH, Wet Battery
56206988	12V, 86 AH Gel Battery
56112545	6V, 255 AH, AGM Battery*
56112546	6V, 312 AH, AGM Battery*
56380239	6 V, 140 AH, AGM Battery*
* If replacing a set of wet batteries with AGM batteries, call Clarke Tech Service for correct charger algorithm settings.	
Remote Shelf Chargers	
40506B	36 Vdc, 25A Charger 120 Vac
40512B	24 Vdc, 25A Charger 120 Vac
Clarke Battery Maintenance System	
53391A	24V Clarke Battery Maintenance System
53390A	36V Clarke Battery Maintenance System



The Clarke Battery Maintenance System (CBMS) is not a charger, but rather a performance device designed to help lead-acid batteries charge faster, provide maximum performance and power, and maintain run-time over a longer life.

Clarke will **double** the standard Clarke® Battery Warranty to Three Years when the Battery Maintenance System is installed!

Providing Green Equipment for All Your Needs.

As more and more facility managers realize the benefits of environmentally-friendly and health-conscious cleaning, "green cleaning" is becoming a growing movement in the cleaning industry.

As a leading manufacturer of "green" floor-cleaning equipment, Clarke is committed to offering products that meet or exceed industry and government standards for green cleaning. Clarke's knowledge of equipment and the industry can help you interpret green cleaning standards and assist with:

- Increasing productivity and reducing the cost of labor
- Reducing impact on the environment
- Improving indoor air quality
- Helping people live and work safely



green
clean.

*Focusing on product development,
increasing productivity, and being
environmentally responsible.*

Make sure to check out our full line of Pressure Washers at Pressure-Pro®!

Pressure-Pro®

www.pressure-pro.com



Mixed Sources
Product group from well-managed
forests, controlled sources and
recycled wood or fiber
www.fsc.org Cert no. SW-COC-002374
© 1996 Forest Stewardship Council



9435 Winnetka Avenue North • Brooklyn Park, MN 55445
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2
Phone: 800.668.8400 • Fax: 800.263.5111

©2017 Nilfisk, Inc. All rights reserved. P/N L71288C 1-19-17

Trusted. Reliable. Efficient.

Clarke®

www.clarkeus.com