



*Combining innovation, reliability and performance, the Clarke Vantage 14 marks a breakthrough in daily scrubbing for small area cleaning*

## Clarke Vantage 14

### Battery Operated Micro Scrubber

- **Patented, rotating deck** enables complete scrubbing in both forward and backward directions
- **Full battery-powered operation** and **onboard battery charger** minimizes downtime and guarantees continuous scrubbing performance
- **Compact, maneuverable design** allows cleaning in areas with limited space
- **Quiet operation, at only 64 dB A,** makes daytime cleaning possible
- **Brush-assisted operation** minimizes required physical labor, allowing operators to scrub longer

Trusted. Reliable. Efficient.

A Nilfisk-Advance Brand

# Clarke®

# Unique deck, compact design and battery-powered operation deliver superior scrubbing performance



## Patented Rotating Deck

Never skip those hard-to-reach areas again. The Vantage 14's integrated rotating deck enables complete scrubbing in both forward and backward directions, allowing operators to easily clean under and around obstacles. Simply push the machine forward; then when needed, easily flip the machine up to allow the deck to quickly rotate for reverse scrubbing operation. With fast and easy scrubbing and water pick-up in all directions, the Vantage 14 leaves a clean, dry surface to boost your facility's appearance.

## Effortless & Reliable Operation

Employing brush-assisted operation, the Vantage 14 does the hard pushing for you, requiring significantly less physical labor. Adjustable water flow allows you to quickly switch between high or low flow settings, making it easy to tackle the job at hand. Say goodbye to annoying cords and limited scrubbing time and maximize your productivity with the Vantage 14's fully-accessible, maintenance-free battery, which provides up to 100 minutes of scrubbing on a single charge. An onboard battery charger allows operators to charge the machine in any electrical outlet.

## Fast, Simple Maintenance

The Vantage 14's easily-accessible, removable 3 gallon solution and recovery tank can be quickly filled, drained and cleaned away from the machine, ensuring less mess and minimal equipment maintenance. All machine components are accessible without the need for tools—including the squeegee, which features simple, one hand removal. When you're done, simply fold the handle and transport the Vantage 14 to storage.

## Faster, better and easier scrubbing!



### Control panel

The Vantage 14 offers four operating modes, including:

1. Off
2. Water + Brush
3. Water + Brush + Vacuum
4. Vacuum + Brush

Two adjustable flow rates—low and high—allow operators to easily match diverse application requirements.



### Squeegee system

The Vantage 14 squeegee system provides increased vacuum performance for better water pick-up. The tools-free squeegee can be easily and comfortably removed for cleaning.



### Recovery and solution tanks

Easily remove the recovery and solution tank to fill, drain and clean it away from the machine.

# Vantage 14



## Scrub deck

The Vantage 14's rotating deck allows for both forward and backward scrubbing. Operators can push the machine forward in all directions like a "normal" scrubber. But, if the application requires, operators can quickly flip the machine up, triggering the deck to rotate completely for backward scrubbing performance. The scrub deck efficiently guides the wheels for superior edge cleaning.





SNAP  
IT!



SPECIFICATIONS		Vantage 14
Part Number		9087345020
Max Speed		2.5 mph (4 kph)
Voltage		12 V
IP Protection Class		IPX4
Isolation Class		III
Rated Power		450 W
Brush Motor		260 W
Vacuum Motor		200 W
Vacuum Airflow		37.7 ft <sup>3</sup> /min (17.8 L/sec)
Vacuum Performance (sealed)		27.7 in (6.9 kPa)
Sound Pressure Level		64 dB A
Maximum Run Time		1.75 hours
Productivity Rate Theoretical / Actual (low/high)		3,500 ft <sup>2</sup> / 7,000 ft <sup>2</sup> (325 m <sup>2</sup> ) / (650 m <sup>2</sup> )
Scrubbing Width		14.5 in (37 cm)
Min. Turn-around Aisle Width		33.5 in (85 cm)
Water Flow		0.066 gpm / 0.132 gpm (0.025 Lpm) / (0.5 Lpm)
Solution / Recovery Tank		3 gal (11 L)
Squeegee Width		18.7 in (47.5 cm)
Brush Pressure		60 lb (27 kg)
Scrub Head Speed		120 RPM
Brush Size		(1) 14.5 in (37 cm)
Dimensions (L x W x H)		29 in x 17 in x 18 in (73.7 cm x 43.2 cm x 45.7 cm)
Battery Compartment Size (L x W x H)		13.5 in x 6.5 in x 9.4 in (34.3 cm x 16.5 cm x 23.9 cm)
Weight w/o Battery		93 lb (42 kg)
Operating Weight		146 lb (66.2 kg)

Specifications are subject to change without notice.



## Applications

- Gas Stations
- Convenience Stores
- Food Service
- Kitchen and Restaurants
- Education Facilities
- Healthcare Facilities
- Retail Stores

## “Green” benefits

- AGM maintenance-free battery operation

## Safety features

- Safety switch prevents machine from starting unexpectedly
- Quiet operation

## Accessories

- Squeegee kit
- Blade squeegee kit
- Multiple brushes available
- Multiple pads available
- Pad holder



©2013 Nilfisk-Advance, Inc. All rights reserved. P/N L3275C 7/13

14600 21st Avenue North • Plymouth, MN 55447-3408  
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2  
Phone: 800.668.8400 • Fax: 800.263.5111

# Clarke®

A Nilfisk-Advance Brand

www.clarkeus.com