

Full Line Product Catalog

Rental Division



Vacuums
Extractors
Air Mover
Scrubbers
Floor Machines
Burnishers
Wet/Dry Vacuums
Sweepers
Specialty Products

Trusted. Reliable. Efficient.

Clarke®

Vacuums



ReliaVac®

Single Motor Upright Vacuums

- 12 and 16 inch cleaning paths
- 4 models to choose from
- 7 amp motor
- 50 foot safety yellow cord
- Low cost maintenance
- Exclusive green fan with lifetime guarantee against breakage
- Durable steel brush roller (12 and 12DC models)
- High performance aluminum brush roller (12HP and 16HP models)
- Replaceable bristle strips and beater bars for versatile cleaning
- Removable clear fan cover allows for identifying and removing clogs
- Headlight illuminates work area (HP models only)
- ReliaVac® 12 DC model has an easy to empty dirt cup



CarpetMaster® 200 Series

Dual Motor Upright Vacuums

- 12, 15 and 18 inch cleaning paths
- Standard H.E.P.A. filtration
- Easy accessible tools and quick-draw wand
- Convenient handle grip on front of vacuum
- Easy maintenance features
- Innovative quick cord clip for simple cord management
- Powerful 9-amp, 2 stage motor
- 50 foot safety yellow power cord
- Low 69 dB A sound level



CarpetMaster® 100 Series

Single Motor Upright Vacuums

- 11.5 and 14.5 inch cleaning paths
- Standard H.E.P.A. filtration
- Easy accessible tools and quick-draw wand
- Convenient handle grip on front of vacuum
- Easy maintenance features
- Innovative quick cord clip for simple cord management
- Powerful 9-amp, 2 stage motor
- 50 foot safety yellow power cord
- Low 69 dB A sound level



CarpetMaster® 30

Large Area Vacuum

- 30 inch cleaning path
- 20 foot long reach off-aisle vacuum hose
- Maneuvers well with large 10 inch rear wheels and front swivel casters
- 5 position carpet pile height adjustment
- Quickly vacuums large areas (10,000 sq. feet/hr)
- Dual motor, 1 hp motor
- Powerful 7 or 9-amp continuous duty motor
- 75 foot safety yellow power cord
- Enclosed 1 bushel capacity hopper



Hip Vac™ Hip Vacuum

- 3-level filtration system
- H.E.P.A. filter optional
- 4 foot hose, 2-piece wand, tool kit
- Five tools for every surface
- 50 foot safety yellow cord
- Above the floor cleaning
- Clean tight spaces around obstacles
- One size fits all padded velcro waist strap



Comfort Pak™ Backpack Vacuums

- Available in 6 or 10 quart models
- Ultra quiet 62 dB A
- Standard 5 piece tool kit
- 50 foot safety yellow power cord
- 4-stage filtration; H.E.P.A. is optional
- Very comfortable and lightweight with lots of capacity
- Unique harness design reduces operator strain
- Exhaust is directed up and away - keeping the operator cool



Saltix™ 10 Canister Vacuum

- 12 inch multi purpose – multi-surface floor tool
- Rear mounted wand and floor tool storage
- 4-level filtration system including H.E.P.A.
- 900 Watt motor
- 50 dB A sound level
- Filter basket standard for bagless operation
- Rotating dust brush, crevice tool and power cord stored onboard
- Telescopic aluminum wand optional
- 33 foot safety yellow cord



VP600™ Canister Vacuum

- 2.6 gallon container
- Extra efficient 800 Watt motor
- Ultra quiet 47 dB A sound pressure (Power Boost 54 dB A sound pressure)
- Three levels of filtration standard, H.E.P.A. filter standard
- Power Boost for increased performance
- 33 foot cord, dust brush and crevice tool stored onboard
- Easy-access magnetic closing lid
- Telescopic aluminum wand
- Passive floor tool for both hard and soft floors



Euroclean GD930™ Canister Vacuum

- 4 gallon dust collection bag
- 1,000 Watt, 1.25 hp motor
- Waterlift 89 inches
- Air flow 67 CFM
- 66 dB A sound level
- Three levels of filtration standard
- Optional H.E.P.A. filtration
- Standard tools include a combination brush/ nozzle, 6 foot suction hose, dual mode floor tool, two piece wand and crevice tool
- Injection molded cover
- Durable chrome plated steel tank
- Dual mode floor tool
- Foot operated on/off switch

Extractors



BextSpot Pro® Carpet Spot Cleaning System

- 4.5 inch cleaning path
- 1 gallon easy-fill solution tank
- 1 gallon recovery tank
- Powerful 30 PSI pump aids in deep cleaning spots
- 4.5 inch clear hand tool to view soil removal with 8 foot hose
- Removable recovery tank for easy dumping and cleaning
- Optional 8 inch wand, or 15 foot solution and vacuum hoses
- Compact and lightweight
- Built-in transport wheels



Clean Track® 12 Compact Extractor

- 12 inch cleaning path
- 5 gallon solution tank
- 4 gallon recovery tank
- 1.2 hp, 2-stage vac motor
- 25 foot safety yellow power cord
- Compact, yet professional grade
- Ergonomically designed control handle
- Laminar flow vacuum shoe recovers moisture effectively
- Easy to fill and clean



Slider™ SL1610SE Carpet Extractor

- 16 inch cleaning path
- 10 gallon solution tank
- 3-stage vacuum motor
- 100 psi pump
- Powerful and easy to use
- Twist-lock spray jets
- Easy-to-service clamshell design
- 50 foot safety yellow power cord
- Optional 12 inch wand, 3.5 inch hand tool, and 15 foot vacuum and solution hoses
- 5-year parts and 2-year labor warranty



EX30™ Heated Portable Extractor

- 12 gallon solution tank
- 10 gallon recovery tank
- 15 foot vacuum and solution hoses
- Instant 212° F heat at the wand tip
- Dual 5.7 inch, 3-stage vacuum
- 50-500 psi
- AquaWand™ standard
- Roller handles for easy loading
- Upright dolly design for easy stair climbing
- Wand caddy for easy transport
- Low solution filling area for easy filling
- Low noise day-time-quiet operation
- Low moisture design



EX20™ Portable Extractors

- 12.5 gallon solution tank
- 11 gallon recovery tank
- 15 foot vacuum and solution hoses
- 212° F heat at the wand tip (100SC & 100H)
- Cold water extractor (100C)
- Single 5.7 inch, 3-stage vacuum
- 12 inch stainless steel scrub wand standard
- AquaWand™ optional upgrade
- Unique transport handle design
- Handle on top of the tank
- Wand caddy for easy transport
- Oversized, rubber grip rear wheels
- Two front panel roller wheels assist in loading/unloading
- Extension cord wraps



EX40™ 16ST & 18LX Self-Contained Extractors

- 16 or 18 inch cleaning paths
- 9 gallon solution tank (16ST)
- 12 gallon solution tank (18LX)
- 1.5 hp, 3-stage vacuum motor, 120 inch waterlift
- Laminar flow vacuum shoe
- 50 foot detachable safety yellow power cord
- Optional integrated hand tool
- Easy One-Touch™ controls
- Ergonomic handle for improved control
- Full rotating handle adjustment (18LX)
- Brush and vacuum shoe removal without tools
- Front mounted drain hose
- Removable tank with stowable handle



Clean Track® L24 Battery Carpet Extractor

- 24 inch cleaning path
- 20 gallon solution tank
- 16 gallon recovery tank
- 93 cfm (44 L/sec)
- Waterlift 70 inches
- Low 69 dB A sound level
- *LIFT*™ (Low-moisture, Indirect spray, Fast dry time, True cleaning) technology
- Deep-cleaning restoration mode
- Deep Treat™ single-pass, pre-spray feature
- Onboard detergent dispensing

Air Mover



AM2400D™ Air Mover

- Three speed settings
- 2,000 / 2,200 / 2,400 CFM
- Four angle settings
- Onboard outlet for daisy-chaining up to 3 units
- Lightweight, compact and stackable
- Optional trolley kit with wheels and retractable handle for easy transport
- Thermally protected motor
- 21 foot power cord (6.5 m)

Scrubbers



MA10™ 12E Cord-Electric Upright Scrubber

- 12.2 inch scrub path
- 4 inch cleaning clearance
- 0.8 gallon solution tank
- 1 gallon recovery tank
- Ideal design for scrubbing small spaces quickly
- Creates a cleaner environment compared to mopping
- Cleans hard surfaces quickly and effectively
- Simple and intuitive controls
- Ergonomic handle for easy operations
- Cylindrical scrub brush operates at 2,100 rpm
- Forward and reverse solution recovery
- Solution tank dispenses only clean solution
- Optional carpet kit



CA30™ 17E Compact Cord-Electric Scrubber

- 17 inch scrub path
- 13.2 gallon solution and recovery tanks
- 120 V cord-electric with 65 foot safety yellow cord
- Easy-to-use fingertip controls
- Low profile design for cleaning tight, hard-to-reach areas
- Rounded squeegee for easy and complete solution pick-up
- Low 72 dB A sound level



MA30™ 13B Battery Micro Scrubber

- 13.5 inch scrub path
- 1.6 gallon solution tank and recovery tank
- Front squeegee can be raised to pick up small debris while scrubbing
- Adjustable brush pressure knob to optimize required cleaning intensity
- Recovery tank and battery covers are magnetically secured, allowing easy removal and replacement
- Easy to maintain with tools-free brush and squeegee removal



CA30™ 20B Compact Battery Scrubber

- 20 inch scrub path
- 10.5 gallon solution and recovery tanks
- Long-lasting batteries and onboard charger
- Easy-to-use fingertip controls
- Low profile design for cleaning tight, hard-to-reach areas
- Rounded squeegee for easy and complete solution pick-up
- (2) 12 V, 105 Ah AGM batteries with onboard charger
- Low 70 dB A sound level



Vantage 14 Battery Micro Scrubber

- 14.5 inch scrub path
- 3 gallon solution / recovery tank
- Patented, rotating deck
- Single 14 inch disc scrub brush
- Full battery-powered operation and onboard battery charger
- Compact, maneuverable design
- Brush-assisted operation
- Low 64 dB A sound level



Focus® II Compact Battery Scrubbers

- 20 inch BOOST® and 21 inch disc scrub paths
- Available with BOOST® technology or disc scrub decks
- 14.5 gallon solution and recovery tank
- Superior solution pickup
- Easy operation and low sound levels
- Efficient use of solution
- 12 V battery choices, wet or AGM
- Low 65.8 dB A sound level



MA50™ 15B Battery Micro Scrubber

- 15 inch scrub path
- 3.5 gallon solution / recovery tank
- Easy-to-use fingertip controls
- Low profile design for cleaning tight, hard-to-reach areas
- Onboard battery charger and auxiliary charging cable
- Rounded squeegee for easy and complete solution pick-up
- Fold-down handle for storage
- Low 70 dB A sound level



Focus® II Mid Size Scrubbers

- 26, 28 and 34 inch disc scrub paths
- 28 inch cylindrical scrub path
- 28 and 32 inch BOOST® scrub paths
- 23 gallon solution and recovery tanks
- Large tank capacity for longer run times
- Superior solution conservation and pickup
- Onboard battery charger
- Optional, onboard chemical mixing system



SA40™ Stand-On Scrubber

- 20 inch disc scrub path
- 12 gallon solution tank
- 12.5 gallon recovery tank
- Two scrub pressures up to 88 lb
- High productivity
- Excellent maneuverability
- Flexible cleaning to address varying soil levels
- Designed to provide maximum clean and safety
- Extremely quiet for daytime cleaning
- Wet or AGM 24 V battery choices
- Wrap-around squeegee ensures 100% water pick-up and dry floors



RA40™ Micro Rider Scrubber

- 20 inch disc scrub path
- 18.5 gallon solution and recovery tanks
- SmartFlow™ solution control system
- Excellent maneuverability
- Flexible cleaning to address varying soil levels
- Designed to provide maximum clean and safety
- Multifunction display with One-Touch control panel
- Wet or AGM 24 V battery choices
- Low sound levels – silent mode 62 dB A ±3 / normal mode 68 dB A ±3



SC900™ Automatic Scrubbers

- Available in 28 and 34 inch disc or 32 inch cylindrical scrub paths
- 30 gallon solution tank
- 32 gallon recovery tank
- Minimal electronics for increased reliability and lower total cost of ownership
- Control board-free design eliminates costly repairs
- Mechanical scrub and vacuum levers
- Thumb controlled cruise control
- Simplified user interface
- Wet or AGM 36 V battery choices



Focus® II MicroRider™ Micro Rider Scrubbers

- 26 and 28 inch scrub paths
- 21 gallon solution and recovery tanks
- BOOST® Technology with chemical-free floor finish removal
- SafetyGlide™ scrub deck
- Easy operation with Safe-T-Steering™
- Optional chemical mixing system
- Comfortable driver compartment
- Wet or AGM 24 V battery choices
- Low sound levels – low setting 61 dB A / high setting 65 dB A



Focus® II Rider Scrubbers

- 28 inch BOOST® or 28 and 34 inch disc scrub paths
- 31 gallon solution and recovery tanks
- Available with BOOST® Technology
- Tight turning radius
- Increased down pressure
- Quiet operation
- Optional Chemical Mixing System
- Flexible cleaning capabilities
- One-touch scrubbing with three pressure settings
- Wet or AGM 24 V battery choices
- Large recovery tank opening with debris catch cage and integrated squeegee hanger
- High traction urethane tires

Floor Machines



FM40™ ST & LX

Orbital Scrubbing Floor Machines

- 20 inch scrubbing and cleaning path (20 x 14 scrub pad)
- 1.5 hp heavy duty motor driving a 3,540 rpm orbital deck
- Includes weight kit consisting of three 21 lb weights
- Quiet, low vibration design at 68 dB A
- Switchable wheels-up/wheels-down modes (LX model)
- Baseboard cleaner standard (LX model)
- Detachable handle standard (LX model)
- 3,540 rpm
- 1.5 hp motor and 160 lb of down pressure
- Chemical-free floor stripping
- 50 foot, 14/3 safety yellow power cord
- Dust containment kit, solution tank kit, various scrub pads and sand screens available



CFP Pro® 20DS

Floor Machine

- 20 inch scrubbing and cleaning path
- Switchable 185/330 rpm dual speed
- Powerful 1.5 hp DC rectified motor with all-steel triple planetary gear box
- 5 inch non-marking transport wheels
- 50 foot safety yellow power cord
- All-metal construction
- Pad driver included with universal clutch plate
- Easy-to-use, fingertip controls
- Safety lock-out switch



CFP Pro® 17HD & 20HD

Floor Machines

- 17 and 20 inch scrubbing and cleaning paths
- Powerful 1.5 hp motor with all-steel triple planetary gear box
- 5 inch non-marking transport wheels
- 50 foot safety yellow power cord
- All metal construction
- Pad driver included with universal clutch plate
- Easy-to-use, fingertip controls
- Safety lock-out switch



Pacesetter™ 20SD

Floor Maintainer

- 20 inch scrubbing and cleaning path
- 1.75 hp, 66 frame motor at 175 rpm
- Ergonomic molded handles for safety and comfort
- Pad driver included
- Severe duty



Ultra Speed® Series Cord-Electric Burnishers

- 20 inch burnishing path
- 1,500 rpm on the US 1500DC model
- 2,000 rpm on the US 2000DC model
- 3 handle positions - floating handle latches over for compact storage
- Indestructible Polydur® mainframe
- Self adjusting pad pressure
- Lightweight and easy to maneuver
- Very quiet 66 - 67 dB A for noise sensitive areas



Ultra Speed Pro® 1500 Cord-Electric Burnisher

- 20 inch burnishing path
- 1,500 rpm produces wet-look shine
- Safety lock-out switch
- Easy-to-use, fingertip controls
- Safety lock-out switch
- Handle-mounted circuit breaker
- All-metal construction
- Low sound level at only 68 dB A



Ultra Speed® 20 & 20T Battery Walk-Behind Burnishers

- 20 inch burnishing path
- 20T model has traction drive
- Wet cell or AGM batteries
- Polishing rate of 24,000 sq/ft per hour
- Self regulating pad pressure
- Non-traction or power traction drive
- Class leading passive dust control
- Easy tip back feature for convenient pad changes
- Standard onboard battery charger
- Only 68 dB A



27 in model shown

PBU Propane Propane Burnishers

- 21 and 27 inch size configurations
- Clean and efficient catalytic converter
- Optional dust control models with electric clutch and CARB Gard™ monitor emissions
- Durable, rugged cast aluminum alloy housing
- Electric solenoid shut-off shuts off fuel when engine stops running
- Powerful 603cc Kawasaki V-Twin engines
- Balanced pad drivers reduce vibration and are flexible to follow the contour of uneven surfaces over floors

Wet/Dry Vacuums



Maxxi II™ 35 Wet/Dry Vacuum

- 9 gallon tank size
- 50 foot power cord
- 1,100 Watt motor
- 101 CFM airflow
- Quality 3-stage filtration
- Powerful motor maximizes cleaning performance
- Accessories to help tackle diverse cleaning challenges



Summit Pro® 185Q Wet/Dry Vacuums

- 24 inch cleaning path
- 18 gallon tank capacity
- 2-stage vacuum motor
- 95 CFM airflow at orifice
- 1.17 hp motor
- 50 foot power cord
- Integrated 24 inch front-mounted squeegee assembly with pedal actuator
- Includes 5 piece tool kit, 9 foot hose and stainless wand with onboard storage
- 10 inch wheels permit easy stair climbing



Attix 30 Wet/Dry Vacuum

- Powerful vacuum motor generates 135 CFM and 92 inches of water lift
- Quiet motor technology generates low noise rating of 59 dB A
- 8-gallon tank capacity
- Ergonomic hand grip allows easy cable storage
- Hose, wand, floor tool and attachments included
- Push & Clean filter cleaning technology
- Washable PET-fleece filter cartridge for long life
- Tool storage area on cover
- Optional HEPA filter



Attix 33 Wet/Dry Vacuum

- Powerful vacuum motor generates 148 CFM and 92 inches of water lift
- Quiet motor technology generates low noise rating of 69 dB A
- 8-gallon dry / 5.2-gallon wet tank capacity
- InfiniClean system
- Easy service and low maintenance cost
- High air velocity in hose and nozzle
- HEPA filtration



Attix 44 Wet/Dry Vacuum

- Powerful vacuum motor generates 148 CFM and 92 inches of water lift
- Quiet motor technology generates low noise rating of 69 dB A
- 11-gallon dry / 7.8-gallon wet tank capacity
- InfiniClean system
- Easy service and low maintenance cost
- High air velocity in hose and nozzle
- HEPA filtration



Attix 50 Wet/Dry Vacuum

- Powerful vacuum motor generates 135 CFM and 92 inches of water lift
- Quiet motor technology generates low noise rating of 59 dB A
- 12-gallon tank capacity
- Ergonomic hand grip allows easy cable storage
- Hose, wand, floor tool and attachments included
- Push & Clean filter cleaning technology
- Extreme Clean filter cleaning technology (AS/E XC only)
- Washable PET-fleece filter cartridge for long life
- Optional HEPA filter



Attix 19 Wet/Dry Vacuum

- Powerful vacuum motor generates 140 CFM and 105 inches of water lift
- Quiet motor technology generates low noise rating of 57 dB A
- 19-gallon tank capacity
- Sturdy dolly mount construction allows for easy transport
- Durable stainless steel canister
- Tilting canister feature makes it easy to dump contents



Attix 19 AE Flood Sucker Wet/Dry Vacuum

- Powerful vacuum motor generates 140 CFM and 105 inches of water lift
- Quiet motor technology generates low noise rating of 57 dB A
- 19-gallon tank capacity
- Designed for high volume water evacuation
- Can pump water 300 feet horizontally and 23 feet vertically

Specialty Products & Sweeper



TFC 400™

All Purpose Cleaner

- 20 gallon solution tank
- 13 gallon recovery tank
- Application flow 400 psi (1 gpm)
- 2 Stage 900 Watt vacuum motor
- Vacuum exhaust blower motor
- 81 inches of waterlift
- 25 foot (GFI) power cord
- Touch-free, all-purpose cleaner
- Small footprint for easy storage
- Compact, maneuverable
- Optional front mount squeegee
- Simple storage for recovery and solution hose
- Removable pallet contains all electrical components



WP630™

Flood Restoration Pumper

- Dual 3-stage vac motors
- Auto dumps 10.5 GPM with twin bilge pumps
- 50 foot discharge hose



BSW 28

Walk-Behind Sweeper

- 28 inch sweeping path (with side broom)
- Gel battery power source with onboard charger
- 2.5 to 3 hour battery run time on carpet
- Electrical motor runs side broom - no belts
- Side broom for active sweeping into large hopper
- Sweeps up small debris, dirt and dust
- Indoor (carpet & hard floors) or outdoor use
- Quick and easy change out of filter and brooms - no tools



MC1200™

Dual Purpose Multi-Surface Cleaner


- 1,200 psi for hard floor, 500 psi for carpet
- 16 gallon solution tank
- Single 3-stage vac motor, 140 inch waterlift
- Circuit finder light
- Auto fill and auto dump
- 2,000 watt heater for carpet
- Built-in hose reel
- Includes 25 foot solution/vacuum hose, Evolution wand and Hard Surface Turbo Tool



OZ40K™

Ozone Generator


- Treats up to 40,000 sq. ft.
- 30 hour programmable timer
- Severe applications transformer
- Maintenance free corona discharge system



Diamabrush™ Wood Tool

- Ideal for the toughest removal jobs on hardwood floors
- Will not gouge wood or leave heavy scratches on floor surfaces
- Designed to fit a wide variety of rotary floor machines
- Removes polyurethane, varnishes and even hard to remove coatings such as carpet or tile glue residue
- Low-profile design enables the tool to travel seamlessly over heat registers carved out in the floor

The Diamabrush™ Concrete Prep Plus




The first step in the Diamabrush™ Concrete Polishing System involves abrading and leveling the surface to prepare it for polishing. The Diamabrush Concrete Prep Tool consists of a super tough 25 or 100 diamond grit that is bonded to steel blades overmolded in polymer. The flexible blades ensure the diamond abrasive tool remains in constant contact with the floor, regardless of imperfections including cracks or uneven floors. As you use the Concrete Prep Tool, multiple layers of diamonds on the blades are constantly exposed, maximizing tool life and effectiveness.

The patent pending Concrete Prep Tool can be refurbished by simply replacing the blades.

Diamabrush™ Coating Removal Tools

The Diamabrush™ Coating Removal Tool is the fastest, most effective tool for the removal of mastic, glues, adhesives, thin-set, and thin mil epoxies from concrete floors. Its patented design prevents the abrasive blades from loading up or clogging like other abrasive products, resulting in fast, consistent removal throughout the life of the blades.

- 10 times faster than manually scraping
- Limited surface contact during use
- Rigid, exposed diamond cutting surface creates a level floor with normal use
- No need for heavy, expensive and hard-to-use grinding equipment that often requires 480 3-phase power
- Designed to fit Pacesetter floor machines
- Features replaceable diamond blades





Advance Industrial Machines

*As a world leader in industrial cleaning machines,
please ask us about our complete line of
industrial Scrubbers, Sweepers, and
Combo Sweeper-Scrubbers
for your rental fleet*

Providing Green Equipment for All Your Needs

As more and more facility managers realize the benefits of environmentally-friendly and health-conscious cleaning, "green cleaning" is becoming a growing movement in the cleaning industry. As a leading manufacturer of "green" floor-cleaning equipment, Clarke is committed to offering products that meet or exceed industry and government standards for green cleaning. Clarke's knowledge of equipment and the industry can help you interpret green cleaning standards and assist with:

- *Increasing productivity and reducing the cost of labor*
- *Reducing impact on the environment*
- *Improving indoor air quality*
- *Helping people live and work safely*

Leasing Program

Clarke has relationships with three leasing companies a Dealer may utilize to help its customers purchase Clarke cleaning equipment. These leasing partners can provide end-customers with convenient, flexible, competitive-rate financing designed specifically for them. To learn how offering equipment leasing can benefit the Dealership, contact the Company's leasing partners.

This leasing program is only available in the US.

Leasing Partners:

LEAF, Inc.

Bill Bagnell

855-444-2305

www.LEAFnow.com

All Lines Leasing

Duncan Leighton

800-477-5855

www.all-linesleasing.com

Marlin Leasing

Scott Deadrick

856-505-4386

www.marlintoolkit.com/clarke

Clarke®

9435 Winnetka Avenue North
Brooklyn Park, MN 55445
Phone: 800.253.0367
Fax: 800.825.2753
www.clarkeus.com

240 Superior Boulevard
Mississauga, Ontario, Canada L5T 2L2
Phone: 800.668.8400
Fax: 800.263.5111
www.nilfisk-advance.ca