



The Clarke Clean Track® 18 Wash & Rinse enhances productivity and improves cleaning performance with one pass cleaning!

Clean Track® 18 Wash & Rinse

Carpet Extractor

- CRI-SOA certification ensures the Clean Track extractor meets the highest standards of soil and water removal
- Exclusive wash and rinse feature cleans carpets thoroughly in one pass, leaving no detergent residue
- Onboard-chemical metering automatically delivers correct mixing solution to the vacuum shoe for precise cleaning performance
- Interim and restorative cleaning modes satisfy diverse cleaning requirements for either deep cleaning or quick dry results
- ErgoEX® belt reduces operator strain and impact, increasing productivity by 15%
- Optional hard floor cleaning converts
 Clean Track® into an auto scrubber for hard floor scrubbing
- Quick dry time prevents mold formation, eliminates sticky detergent residue and slows re-soiling, improving indoor air quality



Ergonomic, safe design delivers twice the cleaning productivity in Half the Time



Enhanced Productivity

Improve cleaning productivity with the sustainable, featured-filled Clarke Clean Track® 18 Wash and Rinse carpet extractor. Patented Wash & Rinse® operation ensures your carpet gets clean without leaving a detergent residue. A large 13 gallon tank and wide 18 inch cleaning path allows you to tackle your sizeable cleaning areas, ranging from universities and healthcare facilities to malls and restaurants. An optional hard floor kit extends the Clean Track's flexibility, quickly converting it to an auto scrubber to satisfy your hard surface cleaning requirements, such as kitchens and lobbies. Clean Track has high capacity and reliable performance to meet your diverse cleaning jobs.

Innovative Operation

Wash and rinse carpets in one pass with the Clean Track Wash & Rinse feature. Simply pull the extractor; the brush scrubs the carpet to emulsify and suspend the dirt while a fresh water rinse removes the dirt and detergent. Removing dirt and detergent enhances carpet appearance, lowers cleaning costs and extends the life of carpet. With rapid dry time, you can clean your carpets more frequently to maintain a higher level of clean. Precision chemical metering ensures the correct mixing solution is applied for your cleaning needs. The Clean Track Wash & Rinse gets your carpet cleaner quicker, allowing quicker room turnover and occupancy.

Flexible, Sustainable Design

Get enhanced water pick-up with the Clean Track 18. Laminar flow technology reduces turbulence and picks up more moisture than comparable machines, ensuring your carpets are left with a cleaner, dryer and more appealing finish. Certified as a "green machine," the Clean Track 18 ergonomic ErgoEX® support belt guarantees cleaning efficiency with a 15 percent increase in productivity by reducing operator strain and impact. With CRI-SOA certification, the Clean Track 18 excels in recovering soil and water while retaining the original texture of the carpet fibers.

Reduced strain. Increased productivity.



ErgoEX®

The patented ErgoEX® support belt allows legs to pull the weight of the machine, instead of arms, shoulders and back. By reducing operator stress and strain, productivity is improved by 15%.



Onboard-chemical metering

Onboard-chemical metering automatically delivers correct mixing solution to the vacuum shoe for precise cleaning performance.



Laminar flow technology

The vacuum shoe is designed with laminar flow technology, allowing more moisture recovery and faster drying times.

Clean Track® 18 W&R





Hard floor tool kit

Optional hard floor kit quickly converts the Clean Track® into an auto scrubber to tackle hard floor scrubbing challenges. No tools required. Brushes are available separately.



Quick change nozzle

Quick change nozzle provides easy cleanup and maintenance. The large opening dramatically reduces the potential for clogging.



Recovery tank draining

Convenient recovery tank dump hose.





SPECIFICATIONS	Clean Track® 18 W&R
Part Number	56266002
Solution Capacity	13 gal
Brush/Cleaning Path	18 in
ErgoEX Belt	Standard
Wash & Rinse	Standard
Pump PSI	100
Nozzles	Wash: 2, Rinse: 2
Vacuum Motor	3-Stage 1.7 hp Bypass
CFM	98
Waterlift	123
Brush Motor	1/3 hp
Cord Length	50 ft detachable
Wheels	(2) 10 in wheels
Dimensions	44.5 in x 19.5 in x 37 in
Weight	121 lb
Agency Approvals	cETLus Listed
Warranty	Tanks - 8 Years, Parts & Labor - 1 Year

Specifications are subject to change without notice.





Applications

- Schools and Universities
- Commercial Offices
- Retail and Malls
- Hotels and Resorts
- Healthcare Facilities
- Government Facilities
- Restaurants
- Kitchens and Restrooms
- Lobbies
- Outdoor Pools

"Green" benefits

- CRI-SOA certification for carpet extraction
- Meets requirements for LEED certification and GS-42

Safety features

- ErgoEX® ergonomic extraction belt reduces operator strain
- · Clear line of sight
- cETLus listing standard on all models
- No open unsecured doors
- Hospital-grade plug

Accessories

- Hard floor squeegee
- Hard floor brush options
- Onboard hand tool/pre-spray





©2012 Nilfisk-Advance, Inc. All rights reserved. P/N 71342A 3/12

14600 21st Avenue North • Plymouth, MN 55447-3408 Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2 Phone: 800.668.8400 • Fax: 800.263.5111



A Nilfisk-Advance Brand www.clarkeus.com