

Complimenting Clarke's broad extraction line by providing portable, heated, box extraction equipment, Bext[®] extractors are designed to be easy to use, productive, quiet, and portable all at a cost-effective price!

The Bext 100 line of equipment comes bundled with benefits and features available in our larger Bext 150 and 300 series but with a focus on light, compact and maneuverable equipment, all at a value price.

Bext[®] 100 Hot Water Extractor

- In-line heat exchanger
- Instant heat up to 212° F
- Low moisture system at 0.8 GPM
- 100 PSI demand pump
- 3-stage vacuum motor



The $\text{Bext}^{\circledast}$ 100 extractor provides portable, heated, box extraction equipment.



Trusted. Reliable. Efficient.

A Nilfisk-Advance Brand

A Portable Extractor With Onboard Heat

Bext 100 and 100 H

Improved Dry Time

- Low moisture system, 0.8 gpm
- Faster evaporation with higher temperature (Bext 100H heated unit only)
- 5.7 inch 3-stage vacuum motor

Increased Cleaning Effectiveness

- Heated models produce up to 212° F water at tip
- Pump pressure 100 PSI demand pump, no priming necessary

Portable Cleaning

- Easy to load and transport
- Usage in buildings with multi-story/surface
- Performance alternative for maintenance cleaning
- Safety no long hoses no open doors

Deep Cleaning

- Heat increases effectiveness up to 40%
- High pressure injection increases agitation
- Bext is a carpet restorative system



Easily extract large or confined carpeted areas such as stairs or tight office spaces. Optional hand tool makes cleaning partitions, fabrics and upholstery a snap.


Each unit includes a double bend polish stainless steel extraction wand, vacuum and high pressure hose.



A small, light-weight foot print and velcro cord wrap give you easy maneuverability. Large nonmarking wheels, easy-lift handles and positive lock tank latches make transport easy and safe.



Lighted rocker switches with sealed switch plate and switches



No holes in the tank bottoms - no leaks

In-line heater heats water after the pump


Vertical mount vacuum design for long life

High quality gasket seals out water drips

Compact, yet designed for - easy access and maximum efficiency

The Bext 100H Offers Onboard Heat!

Increasing solution temperature to 212°F at the spray tip dramatically improves cleaning results.





SPECIFICATIONS	Bext 100	Bext 100H	Bext 100H Detailer
Part Number	See price catalog for part numbers		
Solution Tank	9 gal rotationally molded		
Solution Pump	100 PSI demand pump		
Vacuum Motor	5.7 in 3-stage		
Water Lift	140 in		
Easy Circuit Locator	N/A	Standard	
On-Board Heater	N/A	Standard	
Wand	Double bend twin nozzle, polished stainless steel 3.5 in detail tool		3.5 in detail tool
Power Cable	25 ft 12-3 ga, hospital grade plug (2) 25 ft 12-3 ga, hospital grade plug		
Wheels	(2) 8 in non-marking		
Hose	15 ft crush-proof vacuum and high pressure solution line		
Low Moisture System	Standard		
Float Shut-Off	Standard		
Weight	69 lb	75 lb	
Warranty	Product Lifetime (10 Years) on tank and mainframe, Parts & Labor - 1 Year		

Specifications are subject to change without notice.

What makes it easy to use?

- Easy circuit locator
- Low moisture faster dry times and no overwetting
- Compact and light weight easily transported

What enhances its productivity?

- Instant heat up to 212° F at wand tip effectiveness
- In-line heat exchanger heats water after pump

What adds to its durability?

- 5.7 inch industrial 3-stage vacuum motor
- Rotationally molded tanks
- Vertical mounted vacuum intake
- Onboard heater
- Sealed switches and switch plate

What are the safety features?

- Reduced body strain and stress
- Easy circuit locator prevents overload

- No open unsecured doors required
- Hospital grade plugs

What are the accessories?

- Upholstery tools
- Bext Chat attachment

14600 21st Avenue North • Plymouth, MN 55447-3408 Phone: 800.253.0367 • Fax: 800.825.2753

recyclable

©2010 Nilfisk-Advance, Inc. All rights reserved. P/N 71253A 2/10





www.clarkeus.com