

# ***BEXT® Series*** On-Board Hot Water Extractors



[www.clarkeus.com](http://www.clarkeus.com)

# Clarke®

*Cleaning Power Since 1916.*

# BEXT® Portable Extractors with On-Board Heat

## BEXT® 150 H and 300 HV

### **BEXT® Improves Dry Time**

- Low moisture system, .8 gpm
- Faster evaporation with higher temperature
- Large industrial 3-stage vacuum motor (300 HV)

### **BEXT® Increases Cleaning Effectiveness**

- Heated models produce up to 212°F water at tip
- Pump pressure 300/75 psi or 150 fixed psi

### **BEXT® is Portable**

- Easy to load and transport
- Usage in buildings with multi-story/surface
- Alternative to truck mounts
- Safety - no long hoses which mean no open doors

### **BEXT® Deep Cleans**

- Heat increases effectiveness up to 40%
- High pressure injection increases agitation
- BEXT® is a carpet restorative system

*Clarke® BEXT® has earned the Bronze Seal of Approval certifying that the BEXT® meets high performance standards for carpet cleaning effectiveness.*



**BRONZE**




Easily extract large or confined carpeted areas such as stairs or tight office spaces. Optional hand tool makes cleaning partitions, fabrics and upholstery a snap.



**BEXT CHAT**




*Patent pending - Clarke® Heated Agitation for Tile & Grout*  
CHAT P/N 30724A



BEXT® CHAT, Clarke's patent pending wand attachment, allows you to use your hot water extractor and wand on tile and grouted floors. Turn your BEXT® extractor into a dual function (carpet and tile) machine with CHAT.



Each unit includes a double bend stainless steel extraction wand, vacuum and high pressure hose. 300HV also includes a primehose.



## All BEXT 150 & 300 Extractors Offer Onboard Heat!

Increasing solution temperature up to 212°F at the spray tip dramatically improves cleaning results.

**Hotter Water = Cleaner Carpet Quicker = More Productive Cleaning Value**



# BEXT® Series

## Portable On-Board Hot Water Extractors

# Clarke®



### KEY FEATURES

- In-line heat exchanger (H and HV models)
- Instant heat up to 212°F at spray tip
- High 300/75 psi, or fixed 150 psi
- Low moisture system 0.8 gpm
- Large industrial 3-stage vac motor (300 HV)
- Large 13 gallon capacity tank
- Easy circuit locator
- Product lifetime warranty (tanks, frame, and water heater)

### SPECIFICATIONS

|                      | BEXT 150 H Detailer   | BEXT 150 H                                       | BEXT 300 HV                                      |
|----------------------|---|--|--|
| Part Number          | 04152A  | 04147A   | 04148A   |
| Solution Tank        | 13 gallon rotationally molded   |  |  |
| Solution Pump        | 150 psi diaphragm   |  | Positive Displacement 300/75 psi                 |
| Vacuum Motor         | (2) - 5.7", 2-stage   |  | 7.2", 3-stage                                    |
| Water Lift           | 150"  |  | 140"   |
| Easy Circuit Locator | Standard  |  |  |
| On-board Heater      | 212°F water temp.   |  |  |
| Wand                 | 3-1/2" Closed Detail Tool (PN 52514A)   | Double bend twin nozzle polished stainless steel | Double bend twin nozzle polished stainless steel |
| Power Cable          | (2) 25 ft. 12-3 ga., hospital grade plug  |  |  |
| Wheels               | (2) large 10" non-marking and (2) soft tread castors                                      |  |  |
| Hose                 | 15 ft. crushproof vac high pressure solution hose   |  |  |
| Low Moisture System  | Standard  |  |  |
| Float Shut-Off       | Standard  |  |  |
| Weight               | 90 lbs.   | 90 lbs.  | 119 lbs.   |
| Warranty             | Product Lifetime (10 years) - on Heater, Tank and Mainframe<br>and 1 Year Parts and Labor |  |  |

### WHO USES THIS MACHINE?

- Public facilities, office buildings
- Airports
- Schools, universities, colleges
- Hotels
- Cleaning contractors
- Government buildings
- Hospitals and nursing homes

### WHAT DOES IT DO BEST?

- Cleans carpets faster
- Creates up to 212°F hot water (H and HV)
- Maintains a high pressure cleaning spray for effective soil emulsification and extraction

### WHAT MAKES IT EASY TO USE?

- Easy circuit locator - no blown circuits
- Low moisture - faster dry times and no overwetting
- Compact and light weight - easily transported
- Chemical tray - easy access to chemicals

### WHAT ENHANCES ITS PRODUCTIVITY?

- Instant heat - up to 212°F at wand tip effectiveness
- High pressure - penetrating injection agitation
- In-line heat exchanger - heats water after pump

### WHAT ADDS TO ITS DURABILITY?

- Rotationally molded tanks
- Industrial 3-stage vacuum motor (300 HV)
- Vertical mounted vacuum intake - no leaks
- On-board heater in line after the pump
- Sealed switches and switch plate

### WHAT ARE THE SAFETY FEATURES?

- Reduced body strain and stress
- Easy circuit locator - prevents overload
- No open unsecured doors required
- Hospital grade plugs

### WHAT ARE THE OPTIONAL FEATURES?

- Optional accessories upholstery tools, Clarkare™ chemicals, BEXT® CHAT grout attachment (PN 30724A), mini-splotters, carpet dryers, and more.

**Clarke®**

2100 Hwy. 265  
Springdale, AR 72764  
[www.clarkeus.com](http://www.clarkeus.com)

DISTRIBUTED BY:

Customer Relations: 1.800.253.0367  
Fax Orders to: 1.800.825.2753  
Technical Service: 1.800.356.7274

©2005 ALTO U.S. Inc., All Rights Reserved. Specifications subject to change without notice. P/N 70363A Rev. 04/07

