



CFP™ Series

Floor Polishers

- Maximum durability
- Smooth planetary gear systems
- Exclusive dihedral handle
- Multiple models to choose from
- Operator friendly

The CFP™ Series floor polishers are unmatched in premium features and offer the highest performance, priced at a great value.

Available models include 13, 17, and 20 inch cleaning paths. The 17 and 20 inch models feature high performance motors with either a 1 or 1.5 hp dual-capacitor. 17 and 20 inch 1.5 hp dual speed machines are also available.



The CFP Series floor polishers are unmatched in features and benefits.

Trusted. Reliable. Efficient.

A Nilfisk-Advance Brand

Clarke®

The CFP™ Series Polisher Line – Premium quality features at a value price!




Simply by unlocking and lowering the handle, the Super Flex power cord releases easily and quickly for getting the job started fast.

Whether scrubbing, screening, grinding, or bonnet cleaning, the CFP Series floor polishers can and will fit your every application need.

With all chrome-plated steel brush housing, motor cover and handle tube, the CFP's are built to last. The CFP's have many quality features at a value price.




The dual speed model has a simple switch to change from 180 to 320 rpm. Also, there is an indicator light that illuminates when the carbon motor brushes need replacement.



The wide stance of the transport wheels promote maximum stability when rolling over thresholds.



A full wrap around bumper protects the floor.



Short cut bristle pad driver comes standard with polisher.



Powerful motors in both 1 hp and 1.5 hp have dual capacitors to maximize startup and run torque.



The simple modular switch design promotes fast and easy repairs to minimize maintenance costs.



SPECIFICATIONS	CFP 130	CFP 170	CFP 200	CFP 1700	CFP 2000	CFP 1700DS	CFP 2000DS
Part Number	02181A	02180A	01360A	01320A	01400A	01431A	01430A
Brush Diameter	13 in	17 in	20 in	17 in	20 in	17 in	20 in
Brush Speed	175 RPM					180 / 320 RPM	
Voltage	120 V						
Horsepower	1 hp			1.5 hp		0.09 / 1.5 hp	
Motor	Dual capacitor induction					DC permanent magnet	
Gear Box	Dual planetary			Triple planetary			
Power Cable	50 ft super flex, safety yellow with hospital-grade plug						
Frame	Die cast aluminum alloy						
Brush Shroud	Chrome-plated steel						
Wheels	(2) 5 in non-marking						
Weight	81 lb	83 lb	87 lb	91 lb	95 lb	77 lb	81 lb
Agency Approval	cETLus						
Warranty	Parts & Labor - 5 Years						

Specifications are subject to change without notice.

What enhances its productivity?

- Chrome plated brush housing
- Heavy duty machined steel planetary gears promote long life
- Dual capacitor, high torque motors

What makes it easy to use?

- Dual switch levers
- Dihedral handle design
- Easy release handle clamp also releases power cord

What are the safety features?

- All models are cETLus listed for use in USA and Canada
- Hospital grade plugs have soldered wire terminals and hardened ground plug to resist damage and keep operators safe
- Safety interlock switch

What are the accessories?

- Various brushes
- Pad drivers
- Solution tank
- Floor pads
- Marble polishing adapter
- Wood floor sanding hard plate



14600 21st Avenue North • Plymouth, MN 55447-3408
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2
Phone: 800.668.8400 • Fax: 800.263.5111

©2009 Nilfisk-Advance, Inc. All rights reserved. P/N 71084A 8/09

Clarke®