

RSW 37Battery Rider Sweeper

- 37 inch sweep path
- Tools-free adjustable main broom
- Tools-free adjustable side brooms
- Tools-free adjustable steering column and seat position






Quietly efficient, hugely useful.

The RSW 37 is designed to work quietly and efficiently without delays or complaints... regardless of the nature of the business, or the surface of the floor. The RSW 37 easily transitions from hard to soft surfaces without stopping or adjustments. Its two-stage filtration system captures even fine dust particulates and keeps them from recirculating, while its quiet 71 dB A operation keeps customers and employees alike on task.

With its expansive 37 inch sweeping path, the Clarke RSW 37 makes quick work of big spaces. It easily slips through doorways and turns on a dime enabling continuous cleaning and a maximum productivity of 52,095 square feet per hour. It's large dual side brooms and a pedal-activated litter flap provide hard and soft surface versatility and reaches spaces typically reserved for antiquated push brooms.

Like all Clarke products, the RSW 37 is also easy to use, easy to maintain and safe. An adjustable seat and steering column accommodate users of all shapes and sizes. Its clamshell design, no-tool brush adjustment and filter cleaning/replacement are accommodating to all levels of mechanical aptitude.



*Based on productivity numbers published by the International Sanitary Supply Association (ISSA)



The adjustable seat and steering column allow any operator to find a comfortable and safe operating position.



The hopper is easily removed and has wheels to allow it to be rolled away for disposal.



Clamshell design allows fast and easy access to all machine components.



Compact and Packed with Features:

- **1** Dual side brooms offer maximum productivity and flexibility
- **2** Forward and reverse foot pedal activation system
- **3** Adjustable steering column and seat fits any operator
- **4** Large hopper easily removable without tools
- **5** Automatic filter shaker extends the life of the filter
- **6** Tools-free adjustable main broom

Ideal Applications Include:

- Multi Surface Hard Floor / Carpet
- Schools and Universities
- Healthcare Facilities
- Municipal Facilities
- Warehouse/Distribution Manufacturing
- Retail



Main broom is easily removed, replaced, and adjusted without tools.



Foot pedal litter flap assists in picking up larger debris.



Intuitive operator controls.

1. Multi-position button turns brooms on and is filter shaker button (down position).



SPECIFICATIONS	RSW 37
Part Number	56380314 with (2) 195 Ah wet batteries 56380315 with (2) 234 Ah maint-free (AGM) batteries
Sweep Path	37 in (94 cm)
Main Broom	24 in (61 cm)
Side Broom (dual)	13.5 in (34 cm)
Max. Productivity Per Hour @ 3.2 mph (5.15 kph)	52,095 ft² (4,840 m²)
Turning Radius	59 in (150 cfm)
Sweeping Principle	Over Throw
Power Source	24 V System - (2) 12 V Batteries (Onboard Charger)
Hopper Capacity	1.75 ft² (50 L)
Filtration System	32 ft² (3 m²) Area Pleated Filter with Carpet Pre Filter
Sound Level	71.5 dB A
Length	49.5 in (126 cm)
Width	31.5 in (80 cm)
Height	46 in (117 cm)
Weight with Batteries	553 lb (251 kg)
Weight without Batteries	327 lb (148 kg)



What enhances its productivity?

- Operator seated while operating
- 37 inch cleaning path
- Dual side brooms
- Multi-surface cleaning
- Easy to maneuver design

What are the safety features?

- Seat Safety Switch
- Horn
- Kill Switch
- Parking Brake

What are the accessories?

- Multiple brooms for all applications
- Flashing safety beacon
- Washable polyester filter
- · Front headlight
- Back-up alarm



©2010 Nilfisk-Advance, Inc. All rights reserved. P/N L3204C 8-10-10

14600 21st Avenue North • Plymouth, MN 55447-3408 Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2 Phone: 800.668.8400 • Fax: 800.263.5111



A Nilfisk-Advance Brand www.clarkeus.com

Specifications are subject to change without notice.